

# INDEX MAPS.

## T. 1N, R. 4E. 2<sup>nd</sup> Mer.

|     | 171-173 | 171-173 | 171-173 | 171-172 | 171-172 | 171-172 | 172 |     |    |     |    |     |
|-----|---------|---------|---------|---------|---------|---------|-----|-----|----|-----|----|-----|
| 175 | 6       | 195     | 5       | 190     | 4       | 187     | 3   | 183 | 2  | 179 | 1  | 170 |
|     | 195     | 195     | 190     | 186     | 182     | 178     |     |     |    |     |    |     |
| 174 | 7       | 194     | 8       | 190     | 9       | 186     | 10  | 182 | 11 | 178 | 12 | 170 |
|     | 194     | 194     | 189     | 185     | 182     | 178     |     |     |    |     |    |     |
| 174 | 18      | 193     | 17      | 189     | 16      | 185     | 15  | 181 | 14 | 177 | 13 | 170 |
|     | 193     | 193     | 189     | 185     | 181     | 177     |     |     |    |     |    |     |
| 174 | 19      | 193     | 20      | 188     | 21      | 184     | 22  | 181 | 23 | 176 | 24 | 169 |
|     | 192     | 192     | 188     | 184     | 180     | 176     |     |     |    |     |    |     |
| 174 | 30      | 192     | 29      | 188     | 28      | 184     | 27  | 180 | 26 | 176 | 25 | 169 |
|     | 191     | 191     | 187     | 183     | 180     | 175     |     |     |    |     |    |     |
| 173 | 31      | 191     | 32      | 187     | 33      | 183     | 34  | 179 | 35 | 175 | 36 | 169 |
|     | 167     | 167     | 167     | 168     | 168     | 168     |     |     |    |     |    |     |

## T. 2N, R. 4E. 2<sup>nd</sup> Mer.

|     | 201-203 | 201-203 | 202-203 | 202-203 | 202-203 | 202     |    |     |    |     |    |     |
|-----|---------|---------|---------|---------|---------|---------|----|-----|----|-----|----|-----|
| 206 | 6       | 229     | 5       | 222     | 4       | 218     | 3  | 214 | 2  | 210 | 1  | 201 |
|     | 228     | 228     | 222     | 218     | 214     | 209     |    |     |    |     |    |     |
| 205 | 7       | 228     | 8       | 222     | 9       | 217     | 10 | 213 | 11 | 209 | 12 | 200 |
|     | 227     | 227     | 221     | 217     | 213     | 209     |    |     |    |     |    |     |
| 205 | 18      | 226     | 17      | 221     | 16      | 217     | 15 | 212 | 14 | 208 | 13 | 200 |
|     | 226     | 226     | 220     | 216     | 211     | 208     |    |     |    |     |    |     |
| 204 | 19      | 225     | 20      | 220     | 21      | 216     | 22 | 211 | 23 | 208 | 24 | 200 |
|     | 225     | 224     | 220     | 216     | 211     | 207     |    |     |    |     |    |     |
| 204 | 30      | 224     | 29      | 219     | 28      | 215     | 27 | 211 | 26 | 207 | 25 | 200 |
|     | 224     | 223     | 219     | 215     | 211     | 206     |    |     |    |     |    |     |
| 204 | 31      | 223     | 32      | 219     | 33      | 215     | 34 | 210 | 35 | 206 | 36 | 199 |
|     | 197-199 | 197-199 | 197-198 | 197-198 | 197-198 | 197-198 |    |     |    |     |    |     |

The figures on the lines refer to the page.

197

Township N. 2 North, of Range N. 4 East 2. Mer. Indiana

South Boundary

East On Random S. boundary Sec. 31 T 2 N R 4 E.  
 40. 00 Set temp'y. q. Sec. post  
 47. 00 Creek 100 lks. wide Course South.  
 50. 50 part of the same Creek Course S.  
 80. 00 Set temp'y. Sec. post, Good farming Land timber  
 Oak, Sugar Walnut & Beech, undergrowth. Spice  
 Hickory & Pawpaw &c.

---

East On Random S. boundary of S. 32, T 2 N, R 4 E.  
 40. 00 Set temp'y. q. Sec. post -  
 80. 00 Set temp'y. Sec. post.  
 Land timber &c. same as on the last mile.

---

East On Random S. boundary of Sec. 33, T 2 N, R 4 E.  
 40. 00 Set temp'y. q. Sec. post  
 80. 00 Set temp'y. Sec. post  
 Land timber &c. same as on the last mile.

---

East On Random S. boundary of Sec. 34 T 2 N R 4 E.  
 21. 50 a Creek 100 lks. wide Course South  
 26. 00 Same 100 " " " N.W.  
 40. 00 Set temp'y. q. Sec. post  
 56. 00 Same Creek 100 lks. wide Course S.W.  
 80. 00 Set temp'y. Sec. post (description omitted)

---

East On Random S. boundary of Sec. 35, T 2 N, R 4 E.  
 17. 00 a Creek 100 lks. wide Course N.W.  
 40. 00 Set temp'y. q. Sec. post  
 80. 00 Set temp'y. Sec. post, Land the same.

---

East On Rand<sup>m</sup>. S. boundary of Sec. 36, T 2 N, R 4 E.  
 7. 50 a Brook 10 lks. wide Course N.

T2N R4E 2<sup>d</sup> Mer. Indiana

- 20.50 a Creek 100 lks wide Course. (A) S. W.  
 31.00 Same 100 " " " S. W.  
 40.00 Set temp'y. q. Sec. post  
 51.50 a Brook 12 lks. wide Course North  
 73.59 Intersected the N. & S. (Down) line 195 lks. S.  
 of the Down Corner  
 Land timber &c. Same as on the last mile

- West On true line S. boundary of Sec. 36, T2N, R4E.  
 40.00 Set the q. Sec. post, from which  
 a Beech 20 in. dia. bears S 50 E 22 lks. dist. &  
 a Do 15. " " " N 28 E 22 " "  
 80.00 Set a post Corner to Sec. 35 & 36 T2N, R4E, from which  
 a Poplar 6 in. dia. bears N 10 W 10 lks. dist. &  
 a Jun 20 " " " S 15 W 21 " "

- West On true line S. boundary of Sec. 35 T2N R4E.  
 40.00 Set the q. Sec. post, from which  
 a W. Walnut 5 in. dia. bears N 64 E 10 lks. dist.  
 a Dogwood 8 " " " S 11 W 13 " "  
 70.00 Set post Cor. to Sec. 34 & 35. T2N R4E. from which  
 a Poplar 10 in. dia. bears S 80 W 2 lks. dist. &  
 a Do 6 " " " S 49 E 5 " "

- West On true line S. boundary of Sec. 34. T2N, R4E.  
 40.00 Set q. Sec. post, from which  
 an Elm 10 in. dia. bears N 70 E 13 lks. dist. &  
 a Sycamore 6 " " " N 34 W 31 " "  
 80.00 Set a post Cor. to Sec. 33 & 34, T2N, R4E, from which  
 a Dogwood 5 in. dia. bears N 54 E 4 lks. dist. &  
 a Mulberry 6 " " " S 8 E 6 " "

- West On true line S. boundary of Sec. 33, T2N R4E.

T2N R4E 2<sup>d</sup>. Mer. Indiana

- 40.00 Set the q. Sec. post, from which  
 a Beech 10 in. dia. bears S 57 E 14 chs. dist. &  
 a Do 8 " " " N 16 W 5 " "
- 80.00 a Beech 24 in. dia. Cor. of Sec. 32 & 33, T2N. R4E.

- West On true line S. boundary of Sec. 32, T2N. R4E.
- 40.00 Set the q. Sec. post, from which  
 a Beech 10 in. dia. bears S 62 E 9 chs. dist. &  
 a Do 6 " " " N 32 W 14 " "
- 80.00 Set a post Cor. to Sec. 31 & 32, T2N R4E. from which  
 a Beech 15 in. dia. bears S 69 W 24 chs. dist. &  
 a Dogwood 6 " " " N 82 E 7 " "

- West On true line S. boundary of Sec. 31, T2N. R4E.
- 40.00 Set the q. Sec. post, from which  
 a Dogwood 6 in. dia. bears S 50 W 6 chs. dist. &  
 a Do 5 " " " N 4 E 5 " "
- 73.59 To Cor. of Townships. N. 192 N. Range. N. 3 & 4 East.  
 Sept. 17<sup>th</sup> 1806

## East Boundary.

North On E. boundary of Sec. 36, T2N. R4E.

25.00 a Brook 50 lbs. wide Course West

37.50 a Do 10 " " " S E.

40.00 Set the q. Sec. post, from which  
 a Beech 20 in. dia. bears N 65 W 24 chs. dist. &  
 a Sugar 10 " " " S 65 E 15 " "

50.00 a Brook 10 lbs. wide Course S. W.

80.00 Set a post Cor. to Sec. 25 & 36, from which  
 a Beech 10 in. dia. bears S 60 E 9 chs. dist. &  
 a Do 6 " " " S 65 W 15 " "

Midling farming land, timber Beech, Sugar,  
 Oak & Hickory.



T2N R4E. 2<sup>d</sup>. Mer. Indiana

North On E. boundary of Sec. 25, T2N. R4E.

40.00 Let the gr. Sec. post from which

a Sugar 5 in. dia. bear N 73 E 17 lks. dist. of

a Mulberry 10 " " " N 70 W 23 " "

80.00 Let a post cor. to Sec. 24 & 25, from which

a Sugar 10 in. dia. bear N 88 E 5 lks. dist. of

a Do 7 " " " N 40 W 21 " "

Sand timber &c. same as on the last mile

North On E. boundary of Sec. 24, T2N. R4E.

40.00 Let the gr. Sec. post, from which

a Sugar 5 in. dia. bear S 11 E 16 lks. dist. of

a Poplar 4 " " " N 3 W 12 " "

80.00 Let a post Cor. to Sec. 13 & 24, from which

a Beech 15 in. dia. bear N 60 W 7 lks. dist. of

a W. Oak 15 " " " N 57 E 18 " "

Sand the same, timber Beech, Oak & Hickory

North On E. boundary of Sec. 13, T2N. R4E

40.00 Let the gr. Sec. post, from which

a Poplar 12 in. dia. bear N 42 W 13 lks. dist. of

a B. Walnut 12 " " " S 32 E 21 " "

66.50 a Brook 15 lks. wide Course West

80.00 Let a post Cor. to Sec. 12 & 13, from which

a B. Walnut 14 in. dia. bear N 55 W 3 lks. dist. of

a Sugar 5 " " " N 64 E 12 " "

Good farming land underbrush Spruce wood

North On E. boundary of Sec. 12, T2N. R4E.

35.00 a Poplar 40 in. dia.

40.00 Let the gr. Sec. post, from which

a Sugar 10 in. dia. bear S 20 E 17 lks. dist. of

a Do 10 " " " N 62 E 20 " "

T2 N. R4 E. 2<sup>d</sup> Mer. Indiana

201

78.00 a Brook 10 lks. wide Course West  
80.00 Let a post Cor. to Sec. 1 of 12, from which  
at Beech 16 in. dia. bray N 72 E 11 lks. dist. of  
a Sassafras 10 " " " N 72 W 18 " "  
Land timber &c. same as on the last mile

---

North On E. boundary of Sec. 1, T2 N. R4 E.  
10.00 a Brook 10 lks. wide Course West  
40.00 Let the q. Sec. post, from which  
a Dogwood 6 in. dia. bray S 23 E 16 lks. dist. of  
a Beech 20 " " " S 23 W 6 1/2 " "  
68.00 a Poplar 40 " "  
80.00 Let a post Cor. to Townships N. 2 & 3 North  
Ranges 4 & 5 E, from which  
a Dogwood 6 in. dia. bray S 30 W 16 lks. dist. of  
a Do 6 " " " S 45 E 3 1/2 " "  
Land timber &c. same as on the last mile

---

North Boundary

East On Land<sup>m</sup> S. boundary of Sec. 31, T3 N. R4 E.  
1.50 a Brook 15 lks. wide Course South  
40.00 Let temp<sup>y</sup>. q. Sec. post.  
80.00 Let temp<sup>y</sup>. Sec. post. Good farming land  
timber Oak, Hickory, Poplar, Ash & Beech  
underg. <sup>to</sup> Spruce wood

---

East On Land<sup>m</sup> S. boundary of Sec. 32, T3 N. R4 E  
40.00 Let temp<sup>y</sup>. q. Sec. post  
70.50 a Brook 10 lks. wide Course S. E.  
75.50 a Do 12 " " " S. E.  
80.00 Let a post Cor. to Sec. 32 & 33, temporarily  
Land timber &c. of the same quality.

---

T3N R4E 2<sup>m</sup>. Mer. Indiana

East On Rand<sup>m</sup> S. boundary of Sec. 33, T3N. R4E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

55.00 a Brook 10 lks. wide Course South

80.00 Set temp<sup>y</sup>. Sec. post

Sand timber &c. same as on the last mile

East On Rand<sup>m</sup> S. boundary of Sec. 34, T3N. R4E.

15.00 a Brook 10 lks. wide Course South

38.00 a Do 10 " " " South

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

78.50 a Brook 15 lks. wide Course South

80.00 Set temp<sup>y</sup>. Sec. post

Good farming Beech, timbered Soil

East On Rand<sup>m</sup> S. boundary of Sec. 35, T3N. R4E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

67.00 a Brook 10 lks. wide Course S. E.

80.00 Set temp<sup>y</sup>. Sec. post

Sand timber &c. same as on the last mile

East On Rand<sup>m</sup> S. boundary of Sec. 36, T3N. R4E.

10.00 a Brook 15 lks. wide Course S. E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

71.69 Intersected the N of S. line 100 lks. S. of Town

Corner. Sand timber &c. same

West On true line S. boundary of Sec 36, T3N. R4E.

40.00 Set the q<sup>r</sup>. Sec. post, on true line from which

a Beech 30 in. dia. bears S 37° N 17 lks. dist. of

a Do 30 " " " N 37° N 37 " "

80.00 Set a post cor. to Sec. 35 & 36, T3N. R4E, from which

a Beech 15 in dia. bears S 18° N 20 lks. dist. of

a Dogwood 6 " " " N 48° N 15 " "

# T3N R4E 2<sup>d</sup> Mer. Indiana

203

Nest On true line S. boundary of Sec. 35, T3N, R4E.

40.00 Let the q. Sec. post on true line, from which  
a Dogwood 5 in. dia. bray N79W 6 lks. dist. of  
a Chestnut 10 " " " N67E 16 " "

80.00 Let a post cor. to Sec. 34 & 35, T3N, R4E, from which  
a Beech 12 in. dia. bray S26W 5 lks. dist. of  
a B. Oak 40 " " " N34W 23 " "

Nest On True line S. boundary of Sec. 34, T3N, R4E.

40.00 Let the q. Sec. post, on true line, from which  
a Beech 24 in. dia. bray N49E 4 lks. dist. of  
a Sugar 8 " " " S49W 35 " "

80.00 Let a post cor. to Sec. 33 & 34, T3N, R4E, from which  
a Sugar 15 in. dia. bray N48W 21 lks. dist. of  
a Dogwood 5 " " " S30W 12 " "

Nest On true line S. boundary of Sec. 33, T3N, R4W

40.00 Let the q. Sec. post on true line, from which  
a Sugar 10 in. dia. bray S22W 8 lks. dist. of  
a Poplar 5 " " " N12W 7 " "

80.00 Let a post cor. to Sec. 32 & 33, T3N, R4W, from which  
a W. Oak 24 in. dia. bray N45E 39 lks. dist. of  
a Sugar 10 " " " S45W 8 " "

Nest On true line S. boundary of Sec. 32, T3N, R4W

40.00 Let the q. Sec. post on true line, from which  
a Mulberry 10 in. dia. bray N27E 15 lks. dist. of  
a Beech 8 " " " N29W 22 " "

80.00 Let a post cor. to Sec. 31 & 32, T3N, R4W, from which  
a W. Oak 10 in. dia. bray S67E 10 lks. dist. of  
a Beech 8 " " " S81W 7 " "

Nest On true line S. boundary of Sec. 31, T3N, R4W



T. 2 N. R. 4 E. 3<sup>d</sup>. Mer. Indiana

- 40.00 Let the gr. Sec. post on true line from which  
 a W. Walnut 12 in. dia. - bears S 62 E 16 lks. dist. of  
 a Beech 10 " " " N 62 W 23 1/2 " "  
 71.69 to the Township Corner.

September 26<sup>th</sup>. 1806.

## West Boundary

North On E. boundary of Sec. 36, T. 2 N. R. 3 E.

35.50 a Poplar 30 in. dia.

40.00 Let the gr. Sec. post, from which  
 a Hickory 10 in. dia. - bears N 55 E 4 lks. dist. of  
 a Logwood 6 " " " N 83 W 19 " "

67.00 a Beech 24 " "

80.00 Let a post cor. to Sec. 25 & 36, T. 2 N. R. 3 E, from which  
 a Beech 10 in. dia. - bears N 70 E 19 lks. dist. of  
 a Red bud 5 " " " S 58 W 11 " "  
 This mile over good farming land, timber Sugar  
 Beech &c. under gr. Spruce.

North On E. boundary of Sec. 25, T. 2 N. R. 3 E.

1.00 a Creek 150 lks. (wide Course E.

15.00 Same Creek 150 " " " S. W.

40.00 Let the gr. Sec. post, from which  
 a Beech 10 in. dia. - bears S 3 E 43 lks. dist. of  
 a P. Oak 40 " " " N 60 E 14 " "

41.90 a Gum 12 " "

79.50 a Beech 20 in. dia. in the line

80.00 Let a post Cor. to Sec. 24 & 25, T. 2 N. R. 3 E, from which  
 a Hackberry 15 in. dia. - bears N 15 E 11 lks. dist. of  
 a Sugar 8 " " " N 3 E 14 " "  
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 24, T. 2 N. R. 3 E.



T2N R4E. 2<sup>d</sup> Mer. Indiana

- 40.00 Let the gr. Sec. post, from which  
 a B. Oak 29 in. diam. bear S 6 E 27 lks. dist. of  
 a W. Oak 12 " " " N 43 W 15 " "
- 56.00 a Brook 10 lks. wide Course E.
- 79.50 a B. Oak 20 in. diam.
- 80.00 Let a post Cor. to Sec. 13 & 24, T2N R3E, from which  
 a W. Oak 24 in. diam. bear S 15 E 6 lks. dist. of  
 a Beech 10 " " " N 15 W 6 " "  
 Sand the same but very brushy Spruce

North On E. boundary of Sec. 13, T2N R3E.

- 11.50 a Brook 12 lks. wide Course East
- 36.75 a Sugar 18 in. diam.
- 40.00 Let the gr. Sec. post, from which  
 a Hickory 10 in. diam. bear S 84 W 13 lks. dist. of  
 a Beech 20 " " " S 24 E 32 " "
- 62.00 a Beech 20 " "
- 80.00 Let a post Cor. to Sec. 12 & 13, T2N R3E, from which  
 a Sugar 5 in. diam. bear S 9 E 19 lks. dist. of  
 a Beech 24 " " " N 2 W 20 " "  
 Sand timber &c. same as on the last mile

North On E. boundary of Sec. 12, T2N R3E.

- 00.25 a Beech 24 in. diam.
- 24.00 a Brook 15 lks. wide Course S. W.
- 40.00 Let the gr. Sec. post, from which  
 a Buckeye 10 in. diam. bear S 10 W 13 lks. dist. of  
 an Elm 10 " " " N 18 E 23 " "
- 75.00 a W. Oak 20 " "
- 80.00 Let a post Cor. to Sec. 1 & 12, T2N R3E, from which  
 a W. Oak 15 in. diam. bear N 56 E 6 lks. dist. of  
 a W. Walnut 12 " " " S 56 W 10 " "  
 Sand timber &c. same as on last mile

## S. N. R. 4 E. 2. Mer. Indiana

North On E. boundary of Sec. 1, T. 2 N. R. 3 E.

21.00 a Brook 10 lks. wide Course East

40.00 Set the q. Sec. post, from which  
a Beech 30 in. dia. bears N 11 E 60 lks. dist. &  
a Do 34 " " " N 77 W 21 " "

71.13 a Hickory 18 " "

80.00 Set a post Cor. to Township N. 2 & 3 North, of  
Range N. 3 & 4 East, from which  
a B. Oak 29 in. dia. bears S 23 E 14 lks. dist. &  
a W. Oak 20 " " " N 63 W 14 " "Sand timber &c. same as on the last mile  
Surveyed in 1806, by Arthur Hurrie, D. S.

## Subdivision.

North Between Secs. 35 &amp; 36, T. 2 N. R. 4 E

11.00 a Creek 80 lks. wide Course S. W. —

39.00 a Stream 8 " " " S. W.

40.00 Set a q. Sec. post, from which  
a B. Walnut 18 in. dia. bears S 79 W 16 lks. dist. &  
a W. Oak 15 " " " N 4 E 15 " "

57.00 an Ash 30 " "

80.00 Set a post Cor. to Secs. 25, 26, 35 & 36, from which  
a Beech 20 in. dia. bears N 9 W 25 lks. dist. &  
a Dogwood 4 " " " S 19 E 15 " "  
Over Hilly Land Ash & Beech timber thick underg<sup>th</sup>.

East On Random between Secs. 25 &amp; 36, T. 2 N. R. 4 E.

6.50 a Brook 20 lks. wide Course S.

40.00 Set temp. q. Sec. post

59.25 a Brook 18 lks. wide Course S.

80.00 Intersected the E. boundary 200 lks. South  
of a post Corner To Secs. 25 & 36.

Over Hilly Land beech, Ash and Poplar timber

# S 2 N R 4 E 2<sup>d</sup>. Mer. Indiana

207

Thick undergrowth Spice.

West On true line between Sec. 25 & 36, S 2 N, R 4 E.  
 40 . 00 Set q. Sec. post at average dist. from which  
 a Beech 20 in. dia. bears N 4 W 23 lks. dist. &  
 an Ash 10 " " " S 4 E 23 " "  
 80 . 00 to Section Corner

North Between Sec. 25 & 26, S 2 N, R 4 E.  
 20 . 00 a Water Course 6 lks. wide Course E.  
 27 . 00 a Poplar 70 in. dia.  
 40 . 00 Set q. Sec. post. from which  
 a Beech 8 in. dia. bears N 60 E 11 lks. dist. &  
 a Do 15 " " " S 44 E 22 " "  
 51 . 25 a Water Course 10 lks. wide Course E.  
 62 . 00 a Walnut " 20 in. dia. "  
 80 . 00 Set a Post Cor. to Sec. 23, 24, 25 & 26. from which  
 a Beech 10 in. dia. bears S 24 W 4 lks. dist. &  
 a Mulberry 8 " " " N 39 E 28 " "  
 Over good farming Land beech Ash & Poplar timber  
 Spice undergrowth -

East On Random between Sec. 24 & 25, S 2 N, R 4 E,  
 40 . 00 Set temp. q. Sec. post  
 80 . 20 Intersected the E. boundary 380 lks. South  
 of a post Cor. to Sec. 24 & 25. Over good farming  
 Land Beech Sugar & Poplar timber thick undg. Spice

West On true line between Sec. 24 & 25, S 2 N, R 4 E.  
 40 . 10 Set q. Sec. post at average dist. from which  
 a Dogwood 4 in. dia. bears S 12 W 11 lks. dist. &  
 a Do 4 " " " N 80 E 8 " "  
 80 . 20 to Section Corner

T. N. R. 4 E. 2<sup>d</sup>. Mer. Indiana

North Between Sec. 23 & 24, T. 2 N. R. 4 E.

37.00 a Sugar 12 in. dia. be

40.00 Set a q. Sec. post, from which  
a Sugar 4 in. dia. bears N 37 E 4 lks. dist. &  
a Poplar 50 " " " S 37 E 12 " "

64.50 a stream 300 lks. wide Course W.

80.00 Set a post Cor. to Sec. 13, 14, 23 & 24, from which  
a Poplar 3 in. dia. bears S 76 W 3 lks. dist. &  
a Beech 12 " " " N 76 E 3 " "

Over good Land Beech & Poplar timber thick undergro<sup>th</sup>  
of Spice & young Beech.

December 22<sup>d</sup>. 1816.

East On Random between Sec. 13 & 24, T. 2 N. R. 4 E.

40.00 Set temp. y. q. Sec. post

80.00 Intersected the E. boundary 500 lks. North  
of a post Cor. to Sec. 13 & 24. Over poor Land  
Beech & Poplar timber, thick undergrowth—

West On true line between Sec. 13 & 24, T. 2 N. R. 4 E.

40.00 Set q. Sec. post at average dist. from which  
an Elm 4 in. dia. bears S 23 E 6 lks. dist. &  
an Ash 4 " " " S 67 W 3 " "

80.00 to Section Corner

North Between Sec. 13 & 14, T. 2 N. R. 4 E.

40.00 Set q. Sec. post from which

a Poplar 18 in. dia. bears S 35 E 7 lks. dist. &

60.00 a Creek 30 lks. wide Course W. " "

80.00 Set a post Cor. to Sec. 11, 12, 13 & 14, from which  
a Sugar 8 in. dia. bears N 31 E 11 lks. dist. &  
a Poplar 4 " " " S 60 W 11 " "

Over 2<sup>d</sup>. rate Land high and Hilly Beech Poplar

T2 N R4 E 2<sup>d</sup>. Mer. Indiana

209

4 Sugar tree timber thick undergrowth.

December 25<sup>th</sup>. 1806.

East On Random between Sec<sup>s</sup>. 12 & 13, T2 N R4 E.  
 40. 00 Set temp<sup>y</sup>. q. Sec. post  
 76. 00 a Water Course 8 lks. wide Course S.—  
 80. 75 Intersected the E. boundary 275 lks. S. of post  
 Over 1<sup>st</sup> rate level Land Beech Poplar Ash Sugar timber  
 undergrowth.

West On true line between Sec<sup>s</sup>. 12 & 13, T2 N R4 E.  
 40. 50 Set q. Sec. post at average dist. from which  
 an Elm 15 in. dia. bears S 18<sup>th</sup> W 31 lks. dist. &  
 a Poplar 15 " " " N 65<sup>th</sup> E 18 " "  
 80. 75 To Section corner

North Between Sec<sup>s</sup>. 11 & 12, T2 N R4 E.  
 40. 00 Set q. Sec. post, from which  
 a Beech 30 in. dia. bears East 34 lks. dist. &  
 a Sugar 30 " " " N 38<sup>th</sup> W 29 " "  
 56. 00 a Stream 20 lks. wide Course N. W.  
 65. 20 a B. Walnut 48 in dia.  
 80. 00 Set a post Corner to Sec<sup>s</sup>. 1, 2, 11 & 12, from which  
 a B. Walnut 5 in. dia. bears S 81<sup>st</sup> E 9 lks. dist. &  
 a Hickory 7 " " " N 81<sup>st</sup> E 9 " "  
 Land and timber as on the last mile

East On Random between Sec<sup>s</sup>. 1 & 12, T2 N R4 E.  
 40. 00 Set temp<sup>y</sup>. q. Sec post, /  
 55. 00 a Water Course 8 lks. wide Course S.  
 67. 00 a stream 15 lks. wide Course S. W.  
 81. 00 Intersected the East boundary 200 S. of post  
 Over meadows Land 3<sup>d</sup> rate Beech & Poplar timber



S 2 N R 4 E 2<sup>nd</sup> Mer. Indiana

thick undergrowth—

West On true line between Sec. 14 & 12, S 2 N R 4 E.  
 40.50 Set q. Sec. post at average dist. from which  
 an Elm 15 in. dia. bears S 65 W 31 lks. dist. &  
 a Beech 5 " " " N 65 E 18 " "  
 81.00 to Section corner—

North Between Sec. 14 & 2 S 2 N R 4 E.  
 28.00 a Beech 20 in. dia. in the line  
 40.00 Set the q. Sec. post, from which  
 a Beech 15 in. dia. bears N 87 E 29 lks. dist. &  
 a Sugar 12 " " " S 87 W 4 " "  
 46.50 a Stream 12 lks. wide Course S. W.  
 79.40 a Water Course 6 " " " E.  
 81.50 Intersected the N. boundary 490 lks. W. of post  
 Set a post Corner to Sec. 14 & 2, from which  
 a Beech 18 in. dia. bears North 5 lks. dist. &  
 a Do 20 " " " East 15 " "  
 Over high level 2<sup>nd</sup> rate Land. Ash Beech & Poplar  
 timber thick undergrowth—

North Between Sec. 34 & 35, S 2 N R 4 E.  
 20.50 a Creek 50 lks. wide Course S. W.  
 40.00 Set the q. Sec. post, from which  
 a Beech 20 in. dia. bears S 18 E 8 lks. dist. &  
 a Sugar 6 " " " N 18 W 16 " "  
 51.00 a Water Course 6 lks. wide Course E.  
 80.00 Set a post Cor. to Sec. 26, 27, 34 & 35, from which  
 a B. Ash 15 in. dia. bears S 65 W 2 lks. dist. &  
 a Beech 12 " " " N 65 E 4 " "  
 Over Hilly Land—Beech & Poplar timber thick and g<sup>th</sup>.

# 211

## T2N R4E T. Mer. Indiana

East On Random between Sec. 26 & 35, T2N, R4E.  
 7. 60 a Water Course 6 lks. wide Course S.  
 28. 50 a Do " 10 " " " S.  
 40. 00 Set temp'y. q. Sec. post  
 45. 60 a Water Course 10 lks. wide Course S.  
 80. 00 Intersected the N. & S. line 125 lks. S. of post  
 Land timber &c. as on the last mile.

---

West On true line between Sec. 26 & 35, T2N, R4E  
 40. 00 Set q. Sec. post, at average dist. from which  
 a Dogwood 6 in. dia. bears S32E 23 lks. dist. &  
 a Beech 18 " " " N40W 25 " "  
 80. 00 To Section corner Dec. 16<sup>th</sup>. 1806

---

North Between Sec. 26 & 27, T2N, R4E.  
 40. 00 Set the q. Sec. post. from which  
 a Beech 8 in. dia. bears N33W 25 lks. dist. &  
 a do 7 " " " N46E 32 " "  
 60. 20 a Beech 18 " " in the line  
 80. 00 Set a post Corner to Sec. 22, 23, 26 & 27, from which  
 a Beech 6 in. dia. bears N15E 4 lks. dist. &  
 a do 30 " " " N15W 13 " "  
 Over good Land Beech & Poplar timber Spice undergrowth.

---

East On Random between Sec. 25 & 26, T2N, R4E.  
 6. 10 a Water Course 15 lks. wide Cours N65W.  
 40. 00 Set temp'y. q. Sec. post  
 80. 00 Intersected the N. & S. line 25 lks. S. of post  
 Over poor Land Oak Beech & poplar timber thick  
 undergrowth of Spice & Green Briers.

---

West On true line between Sec. 23 & 26, T2N, R4E.  
 40. 00 Set q. Sec. post at average dist. from which

S. N. R. 4 E. 2<sup>nd</sup> Mer. Indiana

a Beech 18 in. dia. bears N 53 W 8 lks. dist. &  
 an Ash 12 " " " S 34 W 32 " "  
 30.00 To Section corner

North Between Secs. 22 & 23, S. 2 N. 4 E.

5.00 a Water Course 10 lks. wide Course W.

40.00 Set the q. Sec. post, from which  
 a Beech 20 in. dia. bears N 44 E 17 lks. dist. &  
 a Do 6 " " " S 46 W 21 " "

46.00 a Water Course 15 lks. wide Course W.

56.00 a Beech 15 in. dia. in the line

80.00 Set a post Corner to Secs. 14, 15, 22 & 23, from which  
 a Beech 30 in. dia. bears S 79 E 11 lks. dist. &  
 a Do 12 " " " S 54 W 31 " "

Over good Land Beech & Poplar timber Spice underg<sup>th</sup>.

East On Random between Secs. 14 & 23, S. 2 N. 4 E.

1.00 a Water Course 6 lks. wide Course N. W.

12.00 a Water Course 8 wide Course N. W.

40.00 Set temp. q. Sec. post.

47.50 a Brook 30 lks. wide Course N. 70 W.

65.50 a Water Course 6 lks. wide Course S.

79.50 Intersected the N. & S. line 40 lks. S. of post

Over good farming Land Beech & Poplar underg<sup>th</sup>.

December 22<sup>d</sup> 1806.

West On true line between Secs. 14 & 23, S. 2 N. 4 E.

39.75 Set q. Sec. post at average dist. from which

a Beech 20 in. dia. bears S 32 W 28 lks. dist. &

a Do 18 " " " N 7 E 20 " "

79.50 To Section Corner

North Between Secs. 14 & 15, S. 2 N. 4 E.

S 2 N R 4 E 2<sup>d</sup> Mer. Indiana

- 21.50 a Creek 50 lks. wide Course W.  
 40.00 Set the q<sup>r</sup>. Sec. post. from which  
 a Beech 6 in. dia. bears N 66 W 18 lks. dist. &  
 a Do 12 " " " East 27 " "  
 50.00 Set a post Corner to Secs. 10, 11, 14 & 15, from which  
 a Sugar 15 in. dia. bears N 56 W 27 lks. dist. &  
 a Poplar 5 " " " East 8 " "  
 good farming Land Beech Poplar timber thick  
 undergrowth of Spice -

- East On Random between Secs. 11 & 14, S 2 N, R. 4 E.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 79.00 Intersected the N. & S. line at post this mile  
 Over level 2<sup>d</sup>. rate High and level light timber  
 with Beech Sugar Poplar thick undergrowth.

- West On true line between Secs. 11 & 14, S 2 N, R. 4 E.  
 39.50 Set q<sup>r</sup>. Sec. post. at average dist. from which  
 a Dogwood 6 in. dia. bears N 34 W 10 lks. dist.  
 a Do 8 " " " S 11 E 21 " "  
 79.00 to Section Corner

- North Between Secs. 10 & 11, S 2 N, R. 4 E.  
 28.00 a Water Course 10 lks. wide Course W  
 36.00 a Stream 30 lks. wide Course S. W  
 40.00 Set the q<sup>r</sup>. Sec. post. from which  
 a B. Walnut 18 in. dia. bears N 10 E 11 lks. dist. &  
 an Elm 15 " " " S 10 W 25 " "  
 Over hilly 3<sup>d</sup>. rate land, Beech, Ash & Poplar, timber  
 thick undergrowth  
 54.00 a Water Course 8 lks. wide Course E.  
 80.00 Set a post Cor. to Secs. 2, 3, 10 & 11, from which  
 a Beech 8 in. dia. bears S 75 E 2 lks. dist. &

## T2N R4E.2. Mer. Indiana

an Ash 18 in. dia. bear N 75 W 6 lks. dist.  
Over 1<sup>st</sup> rate land, high level, Beech, Ash,  
& Walnut timber, underg<sup>th</sup> Spruce

East On Rand<sup>m</sup> between Sec. 2 & 11, T2N. R4E.

6.50 a water Course 4 lks. wide Course S.E.

17.00 a Stream 8 lks. wide Course S.

34.00 a do 25 " " " S.W.

40.00 Let temp. q. Sec. post

56.00 a Stream 25 lks. wide Course N.W.

67.00 a do 4 " " " S.W.

79.50 Intersected the N & S. line at the post.

This mile over hilly 2<sup>nd</sup> rate land, Beech, Ash,  
Sugar & Poplar timber.

West On true line between Sec. 2 & 11, T2N. R4E

39.75 Let q. Sec. post at average dist. from which

a Sugar 8 in. dia. bear S 70 E 40 lks. dist. &

a Lycamore 30 " " " N 65 W 29 " "

79.50 to Sec. Corner

North Between Sec. 2 & 3, T2N. R4E.

35.50 a Sugar 24 in. dia. in the line

40.00 Let the q. Sec. post, from which

a Beech 5 in. dia. bear S 44 E 7 lks. dist. &

a do 4 " " " N 40 E 14 " "

60.10 a Stream 15 lks. wide Course W.

80.00 Intersected the N. boundary 470 lks. N. of post

Let a post Conto Sec. 2 & 3, from which

a Beech 30 in. dia. bear S 41 E 24 lks. dist. &

a do 12 " " " S 83 E 31 " "

Over level 1<sup>st</sup> rate land Beech, Ash & Poplar timber



T2N R4E. 2<sup>d</sup>. Mer. Indiana

215

North Between Secs. 33 & 34, T2N. R4E.

13.00 a water Course 6 lks. wide course E.

36.00 a do 8 " " " S.E.

40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Beech 15 in. dia. - bray N 14 E 15 lks. dist. of  
a do 8 " " " N 15 W 12 " "

58.90 a Poplar 15 " " in the line

80.00 Set a post Cor. to Secs. 27, 28, 33 & 34, from which  
a Beech 15 in. dia. - bray N 13 E 15 lks. dist. of  
a do 6 " " " S 9 E 18 " "

Over hilly land Beech & Poplar timb. thick undg<sup>th</sup>.

East on Rand<sup>m</sup>. between Secs. 27 & 34, T2N. R4E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.50 Intersected the N & S. line 15 lks. S. of post  
Over good farming land Beech & Poplar, timb.  
Spruce underg<sup>th</sup>.

West On true line between Secs. 27 & 34, T2N. R4E.

39.75 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 15 in. dia. - bray S 30 E 33 lks. dist. of  
a Poplar 30 " " " N 53 W 22 " "

79.50 to Sec. corner. December 17<sup>th</sup> 1807

North Between Secs. 27 & 28, T2N. R4E.

40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Beech 16 in. dia. - bray East 6 lks. dist. of  
a Sugar 10 " " " M E 25 " "

50.50 a Sugar 18 in dia. in the line

71.25 a Creek 25 lks. wide Course S.W

80.00 Set a post Cor. to Secs. 21, 22, 27 & 28, from which  
a Sugar 15 in. dia. - bray N 43 W 25 lks. dist. of  
an Elm 3 " " " N 39 E 15 " "

T2N - R4E.2<sup>d</sup> Mer. Indiana

Over good farming land, timber Beech, Poplar  
Sugar &c, very thick underg<sup>th</sup> of Spice & Green briar

East On Rand<sup>m</sup> between Sec. 22 & 27, T2N. R4E  
12.56 a stream 12 lks. wide Course S.W.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.50 Intersected the N & S. line 50 lks. S. of post  
Goodland Beech & Poplar timber, Spice underg<sup>th</sup>.

West On true line between Sec. 22 & 27, T2N. R4E.

39.75 Set the q<sup>r</sup>. Sec. post at average dist. from which  
a Sugar 6 in. dia<sup>r</sup>. bean N 27° 10 lks. dist. &  
a Poplar 6 " " " N 30° 10 " " "

79.50 to Sec. Corner. December 19<sup>th</sup> 1806

North Between Sec. 21 & 22, T2N. R4E

6.50 a Poplar 72 in. dia<sup>r</sup>. in the line

40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Dogwood 3 in. dia<sup>r</sup>. bean S 67° E 5 lks. dist. &  
a Do 3 " " " N 68° E 7 " "

80.00 Set a post cor. to Sec. 15, 16, 21 & 22, from which  
a Poplar 15 in. dia<sup>r</sup>. bean South 7 lks. dist. &  
an Elm 8 " " " N 76° E 17 " "

Over good farming land Beech & Poplar timber  
very thick undergrowth. Dec. 21<sup>st</sup> 1806

East On Rand<sup>m</sup> between Sec. 15 & 22, T2N. R4E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

79.20 Intersected the N & S. line 100 lks. N. of post  
over good farming land Beech & Poplar timb. thick reg.

West On true line between Sec. 15 & 22, T2N. R4E.

39.60 Set q<sup>r</sup>. Sec. post at average dist. from which

# T2N. R4E. 2<sup>d</sup>. Mer. Indiana

217

a W. Oak 15 in. diam. bray N48W 17 lks. dist. of  
 a Sugar 6 " " " N48E 4 " "  
 79.20 to sec. corner.

North Between Secs. 15 & 16, T2N. R4E.

36.50 an Ash 20 in. diam. in the line  
 40.00 Let the q<sup>r</sup>. Sec. post, from which  
 a Buckeye 12 in. diam. bray - 49 E. 26 lks. dist. of  
 a Beech 15 " " " N78W 24 " "  
 46.25 a creek 70 lks. wide runs S.W.  
 80.00 Let a post Corner to Secs. 9, 10, 15 & 16, from which  
 a Beech 24 in. diam. bray S86E 28 lks. dist. of  
 a Poplar 8 " " " S30W 41 " "  
 Over good farming land, Beech, Ash & Poplar  
 timber thick underg<sup>th</sup> of Spruce.

East On Rand<sup>m</sup>. between Secs. 10 & 15, T2N. R4E.

40.00 Let temp<sup>y</sup>. q<sup>r</sup>. Sec. post. Over flat 2<sup>d</sup>. rate land  
 light timbered with Ash & Beech very thick reg.  
 46.00 a creek 40 lks. wide course S.W.  
 79.25 Intersected the N & S. line 45 lks. N. of the post  
 Over 2<sup>d</sup>. rate land lies high level thinly timb.  
 with Beech, Ash & Poplar, very thick underg<sup>th</sup>.

West On true line between Secs. 10 & 15, T2N. R4E.

39.62 1/2 Let q<sup>r</sup>. Sec. post at average dist. from which  
 an Ash 15 in. diam. bray S9W 44 lks. dist. of  
 a Lycamore 20 " " " N16E 48 " "  
 79.25 to sec. corner.

North Between Secs. 9 & 10, T2N. R4E.

15.90 a Cherry tree 15 in. diam. in the line  
 40.00 Let the q<sup>r</sup>. Sec. post from which

S 2 N. R 4 E. 2<sup>n</sup>. Mer. Indiana

a Beech 18 in. dia. bears South 20 lks. dist. of  
a Do 12 " " " N 31 W 13 " "

Over level 2<sup>n</sup>. rate land, Beech, Ash & Poplar  
timber, thick underg<sup>n</sup>.

80.00 Set a post Cor. to Sec. 3, 4, 9 & 10, from which  
a Beech 12 in. dia. bears N 47 E 22 lks. dist. of  
an Elm 22 " " " S 44 W 12 " "

Over level 2<sup>n</sup>. rate land, timber Beech, Ash  
& Sugar tree, thick undergrowth.

December 27<sup>th</sup> 1806

East On Rand<sup>m</sup> between Sec. 3 & 10, S 2 N. R 4 E.

40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post

65.00 a water Course 3 lks. wide Course S. E.

78.50 Intersected the N. S. line 25 lks. N. of post  
Over 1<sup>n</sup>. rate Land Beech Ash & Poplar timber.

West On true line between Sec. 3 & 10, S 2 N. R 4 E.

39.25 Set q<sup>r</sup>. Sec. post at average dist. from which  
a Beech 18 in. dia. bears N 37 W 10 lks. dist. of  
a Do 18 " " " N 84 E 30 " "

75.50 To Section corner

December 28<sup>th</sup> 1806.

North Between Sec. 3 & 4, S 2 N. R 4 E.

37.10 a Water Course 10 lks. wide Course N. W.

39.40 a Beech 15 in. dia.

40.00 Set the q<sup>r</sup>. Sec. post, from which  
a Beech 18 in. dia. bears South 52 lks. dist. of  
a Do 15 " " " North 40 E 7 " "

45.10 a Stream 15 lks. wide Course W.

65.30 a Beech 20 in. dia. l.

78.30 Intersected the N. boundary 375 lks. W. of post



# S 2 N. R 4 E. T. 3<sup>rd</sup> Mer. Indiana

219

Set a post corner to Sec. 3 & 4, from which  
a B. Walnut 15 in. dia. bears East 20, lks. dist. &  
a Beech 7 " " " N 51 W 6 " "  
over & rate forming Sand Beech & Poplar timber  
thick undergrowth.

North Between Sec. 32 & 33, S 2 N. R 4 E.  
40.00 Set the q. Sec. post, from which  
a Beech 15 in. dia. bears N 69 E 7 lks. dist. &  
an Ash 24 " " " S 20 E 13 " "  
80.00 Set a post Cor. to Sec. 28, 29, 32 & 33, from which  
a Beech 12 in. dia. bears S 63 W 20 lks. dist. &  
a Poplar 5 " " " N 79 E 15 " "  
over good forming Sand Beech Ash & Poplar  
timber Spice undergrowth.

East on Randon between Sec. 28 & 33, S 2 N. R 4 E,  
9.00 a Water Course 10 lks. wide Course N.  
40.00 Set temp. q. Sec. post.  
79.20 Intersected the N. & S. line 100 lks. N. of post  
Land & timber as on the last Mile

West On true line between Sec. 28 & 33, S 2 N. R 4 E,  
39.60 Set q. Sec. post at average dist. from which  
a Beech 30 in. dia. bears N 18 W 28 lks. dist. &  
a Do 10 " " " S 72 E 9 " "  
79.20 To Section Corner

North Between Sec. 28 & 29, S 2 N. R 4 E.  
5.00 a Creek 45 lks. wide Course S. W.  
19.00 a Beech 20 in. dia.  
40.00 Set the q. Sec. post, from which  
a Beech 12 in. dia. bears S 68 E 24 lks. dist. &



T<sup>2</sup>N. R<sup>4</sup>E. 2<sup>d</sup>. Mer. Indiana

- a Beech 20 in. dia. bears S 5 E 16 lks. dist. 4  
 49. 10 a Water Course 10 lks. wide Course E.  
 80. 00 Set a post Cor. to Sec<sup>s</sup>. 20, 21, 28 & 29, from which  
 a Dogwood 8 in. dia. bears N 66 W 10 lks. dist. 4  
 a Poplar 5 " " " N 22, 32 E 7 " "  
 Beech Poplar timber.

- East On Random between Sec<sup>s</sup>. 21 & 28, T<sup>2</sup>N. R<sup>4</sup>E,  
 40. 00 Set temp<sup>y</sup>. q. Sec. post.  
 48. 00 a Water Course 10 lks. wide Course S.  
 79. 00 Intersected the N. 4<sup>th</sup> S. line 100 lks. N. of post.  
 Over good farming Land Beech & Poplar. timb.  
 thick undergrowth -

- West on true line between Sec<sup>s</sup>. 21 & 28, T<sup>2</sup>N. R<sup>4</sup>E,  
 39. 50 Set q. Sec. post at average dist. from which  
 a Beech 8 in. dia. bears S 24 E 3 lks. dist.  
 an Ash 15 " " " N 24 W 17 " "  
 79. 00 To Section corner

- North Between Sec<sup>s</sup>. 20 & 21, T<sup>2</sup>N. R<sup>4</sup>E,  
 40. 00 Set the q. Sec. post. from which  
 a W. Ash 15 in. dia. bears S 48 W 12 lks. dist.  
 41. 50 a Water Course 15 lks. wide Course W.  
 66. 00 a Beech 38 in. dia. in the line  
 80. 22 Set a post Cor. to Sec<sup>s</sup>. 16, 17, 20, & 21, from which  
 a Beech 12 in. dia. bears S 3 W 4 lks. dist.  
 a Do 12 " " " N 66 W 10 " "  
 over poor Land Beech & Oak timber thick und<sup>y</sup>.

- East On Random between Sec<sup>s</sup>. 16 & 21, T<sup>2</sup>N. R<sup>4</sup>E,  
 10. 00 a Water Course 10 lks. wide Course N. 60 W.  
 40. 00 Set temp<sup>y</sup>. q. Sec. post

# Set N.E. 2<sup>nd</sup> Mer Indiana

50. 25 a Water Course 8 lks. wide Course N. W.  
 79. 50 Intersected the N. & S. line 60 lks. N. of post.  
 Over good farming Land timber Beech Poplar  
 and Ash Spice undergrowth.

- West On true line between Sec. 16 & 21. S 2 N. R 4 E.  
 39. 75 Set q. Sec. post at average dist. from which  
 a Beech 18 in. dia. bears S 33 E 30 lks. dist. &  
 a Buckeye 6 " " " N 30 W 12 " "  
 79. 50 To Section Corner.

- North Between Sec. 16 & 17. S 2 N. R 4 E.  
 5. 60 a Water Course 7 lks. wide Course N. W.  
 29. 50 a Creek 60 lks. wide " W.  
 40. 00 Set the q. Sec. post, from which  
 a Beech 24 in. dia. bears S 9 E 35 lks. dist. &  
 a Do 30 " " " N 43 W 35 " "  
 60. 50 a Water Course 6 lks. wide Course S. W.  
 70. 00 a Beech 24 in. dia. in the line  
 80. 00 Set a post Cor. to Sec. 8, 9, 16, & 17, from which  
 a Beech 36 in. dia. bears East 14 lks. dist  
 a Do 12 " " " West 19 " "  
 Over good land Beech & Poplar thick underg. Spice.

- East On Randour between Sec. 9, 16, S 2 N. R 4 E.  
 40. 00 Set temp. q. Sec. post  
 48. 00 a Water Course 10 lks. wide Course S.  
 79. 00 Intersected the N. & S. line 45 lks. N. of post  
 Over v. rate level Land Beech Ash Poplar  
 timber very thick undergrowth. Decem<sup>r</sup>. 26, 1806.

- West On true line between Sec. 9 & 16. S 2 N. R 4 E.  
 39. 50 Set q. Sec. post at average dist. from which

S. 2 N. R. 4 E. 2<sup>d</sup>. Mer Indiana

a Beech 18 in. dia., bears S 17 E 17 lbs. dist. &  
 a Sassafras 4 " " " North 20 " "

79. 00 To Section corner

North Between Secs. 8 & 9, S. 2 N. R. 4 E.

30. 10 a Beech 15 in. dia. in the line

40. 00 Set the q. Sec. post, from which  
 an Elm 12 in. dia. bears N 79 W 26 lbs. dist. &  
 a Sugar 8 " " " N 2 E 14 " "  
 over Land 1<sup>st</sup>. rate Beech Poplar & Ash timber  
 thick undergrowth Spice

44. 50 a Water course 10 lbs wide Course West

60. 60 an Ash 50 in. dia. in the line

77. 00 a Water course 5 lbs wide Course W.

80. 00 Set a post Cor. Secs. 4, 5, 8 & 9, from which  
 a Beech 6 in. dia. bears West 22 lbs. dist. &  
 a Buckeye 5 " " " East 14 " "  
 over 1<sup>st</sup>. rate Land Beech Sugar Ash & Poplar  
 timber, thick underg<sup>th</sup>.

East On Random between Secs. 4 & 9, S. 2 N. R. 4 E.

40. 00 Set temp. y. q. Sec. post.

78. 60 Intersected the N. & S. line 125 lbs N. of post.  
 1<sup>st</sup> & 2<sup>d</sup>. rate Land lies High Beech Ash & Poplar  
 timber thick undergrowth.

West On true line between Secs. 4 & 9, S. 2 N. R. 4 E.

39. 30 Set q. Sec. post at average dist. from which  
 a Beech 12 in. dia. bears N 30 E 18 lbs. dist. &  
 a do 12 " " " S 33 W 20 " "

78. 60 To Section corner

North Between Secs. 4 & 5, S. 2 N. R. 4 E.

# 223

## S 2 N - R 4 E. 2<sup>d</sup> Mer. Indiana

- 15.00 a Stream 20 lks. wide Course S. W.  
 40.00 Set the q<sup>r</sup>. Sec. post, from which  
     a Sugar 8 in. dia. bears S 69 E 8 lks. dist. &  
     a Do 5 " " " " N 69 W 4 " "
- 40 25 a Water Course 12 lks. wide Course S. E.  
 47.00 an Ash 15 in. dia. in the line  
 77.00 Intersected the N. boundary 250 lks. W. of post  
     Set a post Cor. to Sec. 4 & 5, from which  
     a Sugar — in. dia. bears N 65 E 6 lks. dist. &  
     an Oak 24 " " " " S 28 E 12 " "  
 Over level & rate Land Beech Ash Sugar & Oak  
 timber thick undergrowth.

December 18<sup>th</sup> 1806

- North Between Sec. 31 & 32, S 2 N. R 4 E.  
 20.50 a W. Oak 20 in. dia. in the line  
 40.60 Set the q<sup>r</sup>. Sec. post, from which  
     a Beech 20 in. dia. bears East 4 lks. dist. &  
     a Sugar 5 " " " " S 10 W 19 " "  
 47.60 a Creek 50 lks. wide Course S. W.  
 80.00 Set a post Corner To Sec. 29, 30, 31 & 32, from which  
     a Hognwood 5 in. dia. bears S 19 W 9 lks. dist. &  
     a Poplar 12 " " " " S 73 E 8 " "  
 Over good farming Land Beech timber thick undergrowth

- East On Random between Sec. 29 & 32, S 2 N. R 4 E.  
 18.50 a Water Course 8 lks. wide Course S.  
 40.00 Set temp<sup>y</sup>. q<sup>r</sup>. Sec. post  
 74.00 a Creek 45 lks. wide Course S. W.  
 80.25 Intersected the N. & S. line at post.  
 Over good Land Beech & Poplar timber thick underg<sup>th</sup>

- West On true line between Sec. 29 & 32, S 2 N. R 4 E.



## S 2 N. R 4 E. T. Mer. Indiana

- 40.12 Set q. Sec. post at average dist. from which  
 a Walnut 6 in. dia. bears N 22 E 18 lks. dist. &  
 an Elm 20 " " " S 57 W 22 " "
- 80.25 to Section corner

- West Between Section 30 & 31, S 2 N. R 4 E.
- 40.00 Set q. Sec. post, from which  
 a Beech 18 in. dia. bears S 40 W 8 lks. dist. &  
 a No 20 " " " N 40 E 3 " "
- 52.50 a Stream 25 lks. wide Course S. E.
- 55.80 a Walnut 60 in. dia. in the line
- 67.15 Intersected the W. boundary 8 lks. N. of post.  
 Set a post. Cor. to Sec. 30 & 31, from which  
 a Beech 12 in. dia. bears East 20 lks. dist. &  
 a No 12 " " " N 30 W 26 " " "
- Over good farming Land Beech & Poplar timber  
 thick undergrowth

- North Between Sec. 29 & 30, S 2 N. R 4 E
- 15.10 a Beech 24 in. dia. in the line
- 40.00 Set the q. Sec. post from which  
 an Ash 15 in. dia. bears S 81 W 19 lks. dist. &  
 an Elm 12 " " " S 38 E 9 " "
- 41.00 a Water Course 8 lks. wide Course S. W.
- 80.00 Set a post Corner to Sec. 19, 20, 29 & 30, from which  
 a Beech 15 in. dia. bears S 63 W 2 lks. dist. &  
 a W. Oak 20 " " " N 63 E 6 " "
- Over good farming Land Beech Poplar & Sugar  
 timber thick undergrowth.

- East On Random between Sec. 20 & 29.
- 40.00 Set temp. q. Sec. post
- 80.20 Intersected the N. & S. line 10 lks. S. of post

# S. N. R. 3 E. 2. Mer. Indiana

over good Land Beech & Poplar timber thick undergrowth

- 
- West On true line between Sec. 20 & 29, S. 2. N. R. 4 E.  
 40. 10 Set q. Sec. post at average dist. from which  
 a Beech 14 in. dia. bears N 41 W 12 lks. dist. &  
 an Ash 18 " " " S 41 E 12 " "  
 40. 20 to Section corner
- 

- West Between Sec. 19 & 30, S. 2. N. R. 4 E.  
 13. 50 a Stream 13 lks. wide Course S. W.  
 40. 00 Set q. Sec. post, from which  
 a Gum 10 in. dia. bears S 76 E 11 lks. dist. &  
 a Beech 20 " " " N 48 W 35 " "  
 49. 00 a Walnut 12 " "  
 57. 25 a Stream 25 lks. wide course South  
 66. 75 Intersected the West boundary 14.5 lks. N. of post  
 Set a post Corner to Sec. 19 & 30, from which  
 a Beech 20 in. dia. bears S 54 E 21 lks. dist. &  
 a Hackberry 4 " " " N 32 E 24 " "  
 Land & timber as before
- 

- North Between Sec. 19 & 20, S. 2. N. R. 4 E.  
 7. 90 a Creek 30 lks. wide Course S. W.  
 39. 50 a Do 60 " " " W.  
 40. 00 Set the q. Sec. post, from which  
 a Sycamore 18 in. dia. bears S 36 W 9 lks. dist. &  
 a Do 19 " " " N 29 W 7 " "  
 90. 00 Set a post Cor. to Sec. 17, 18, 19, & 20, from which  
 a Sugar 4 in. dia. bears N 9 E 15 lks. dist. &  
 an Ash 15 " " " South 2 " "  
 Over good Land Sugar, Beech Poplar & Ash,  
 timber thick undergrowth.
-

T<sup>2</sup>N. R4E. 3<sup>d</sup> Mer. Indiana

East On Rand<sup>m</sup> between Sec. 17 & 20, T<sup>2</sup>N. R4E  
 20.00 a creek 30 lks. wide Course S20W  
 40.00 Set temp. q. Sec. post  
 49.50 a Creek 70 lks. wide Course S.W.  
 80.00 Intersected 12 lks. N. of Sec. Cor.  
 Over good land Beech, Ash & Poplar timber  
 thick undergrowth. Dec. 24<sup>th</sup> 1806

---

West On true line between Sec. 17 & 20, T<sup>2</sup>N. R4E  
 40.00 Set q. Sec. post at average dist. from which  
 a Hickory 15 in. diam. bears S63W 13 lks. dist. &  
 a Box Elder 6 " " " S67E 11 " "  
 80.00 to Sec. Corner.

---

North Between Sec. 17 & 18, T<sup>2</sup>N. R4E.  
 13.30 a Poplar 72 in. diam. in the line  
 40.00 Set the q. Sec. post. from which  
 a Beech 12 in. diam. bears N65W 6 lks. dist. &  
 a Do 20 " " " S25E 39 " "  
 Over level 1<sup>st</sup> rate land, Beech & Poplar timber,  
 Spice for underg<sup>th</sup>.  
 50.00 a (water) Course 8 lks. Course East  
 69.10 a Do 6 " " East  
 80.00 Set a post Cor. to Sec. 7, 8, 17 & 18, from which  
 a Beech 18 in. diam. bears S45W 4 lks. dist. &  
 a Poplar 12 " " " N85E 34 " "  
 Over rolling 2<sup>d</sup> rate land, timber Beech, Ash,  
 & Poplar — Spice underg<sup>th</sup>.

---

West Between Sec. 18 & 19, T<sup>2</sup>N. R4E.  
 29.50 a Beech 15 in. diam. in the line  
 40.00 Set the q. Sec. post. from which  
 a Buckeye 5 in. diam. bears S4W 11 lks. dist. &

227

Township 12 N. R. 4 E. 2<sup>d</sup> Mer. Indiana

a Buckeye 6 in. dia. beam N 80 W 11 lks. dist. of  
 53.00 a Creek 50 lks. wide Course South  
 56.40 a Hackberry 24 in. dia. in the line  
 65.50 Intersected the N. boundary 200 lks. N. of  
 post, Let a post Cor. to Sec. 18 & 19, from which  
 a Beech 8 in. dia. beam East 19 lks. dist. of  
 a Do 10 " " " N 15 W 30 " "  
 Over rich land, well timbered with Beech,  
 Poplar, Ash, Walnut, thick underg<sup>o</sup>.

Met Between Sec. 7 & 18, T. 12 N. R. 4 E.  
 26.80 a Poplar 15 in. dia. in the line  
 40.00 Let the q. Sec. post, from which  
 a Beech 14 in. dia. beam N 8 W 11 lks. dist. of  
 a Beech 12 " " " S 8 E 6 " "  
 54.00 a water Course 10 lks. wide Course N 50 W  
 64.50 Intersected the west boundary 325 lks. N. of post  
 Let a post Cor. to Sec. 7 & 18, from which  
 an Ash 15 in. dia. beam N 12 W 8 lks. dist. of  
 a Sugar 15 " " " N 15 W 44 " "  
 Over 1<sup>st</sup> rate land large high rolling, Beech, Ash,  
 Cherry, Walnut & Sugar timber, thick underg<sup>o</sup>.

East On Random between Sec. 8 & 17, T. 12 N. R. 4 E.  
 26.00 a Stream 25 lks. wide Course South  
 32.50 a Beautiful Spring 10 lks. N. of the line  
 40.00 Let temp. q. Sec. post Over level 1<sup>st</sup> rate land  
 79.50 Intersected the N. & S. line 16 lks. S. of the post  
 Level 1<sup>st</sup> rate land, Beech, Ash, Sugar & Poplar  
 timber very thick underg<sup>o</sup> of Spice.

Met On true line between Sec. 8 & 17, T. 12 N. R. 4 E.  
 39.75 Let q. Sec. post at average dist. from which



S. 2 N. 4 E. 2<sup>nd</sup> Mer. Indiana

a Beech 8 in. dia. bears S 79 E 14 lks. dist. &

a Do 8 " " " N 48 W 17 " "

79.50 to Sec. Corner.

North Between Secs. 7 & 8, S. 2 N. 4 E.

40.00 Set the q. Sec. post, from which

a Beech 5 in. dia. bears S 74 E 10 lks. dist. &

a Sugar 8 " " " North 1 link "

54.50 a W. Oak 40 in dia. in the line

80.00 Set a post Cor. to Secs. 5, 6, 7 & 8, from which

a Beech 20 in dia. bears N 61 E 5 lks. dist. &

a Do 6 " " " N 61 W 3 " "

Over uneven 2<sup>nd</sup> rate land, Beech, Ash, Sugar &  
Poplar timber

West Between Secs. 6 & 7, S. 2 N. 4 E.

40.00 Set the q. Sec. post from which

an Ironwood 5 in. dia. bears N 30 E 16 lks. dist. &

an Elm 6 " " " S 57 W 15 " "

64.50 Intersected the West Boundary 400 lks. N. of post

Set a post Cor. to Secs. 6 & 7, from which

a Oak 10 in dia. bears N 51 E 36 lks. dist. &

a B. Gum 18 " " " S 54 W 35 " "

Over 3<sup>rd</sup> rate Land beech Oak & Poplar timber -

East On Random between Secs. 5 & 8, S. 2 N. 4 E.

40.00 Set temp. q. Sec. post.

56.50 a Stream 15 lks. wide Course South

62.50 a Do 20 " " " S. 20 W.

79.25 Intersected the N. & S. line 2 N. of post

Over 1<sup>st</sup> rate Land Beech Ash Beech Poplar Sugar  
& Pinch Spice undergrowth.

# Township N. 2. E. 3. Mer. Indiana

West On true line between Sec. 5 & 8, T. 2 N. R. 4 E.  
 39. 62 Set q. Sec. post at average dist. from which  
 a Beech 12 in. dia. bears N 67 1/2 W 21 chs. dist. 4  
 a Do 18 " " " S 42 E 20 " "  
 79. 25 to Section corner

---

North Between Sec. 5 & 6, T. 2 N. R. 4 E.  
 31. 12 a B. Oak 12 in. dia. in the line  
 40. 00 Set the q. Sec. post, from which  
 a Sugar 6 in. dia. bears S 13 E 5 chs. dist. 4  
 a Beech 9 " " " N 13 1/2 W 36 " "  
 61. 00 a Beech 15 " " in the line  
 62. 00 a Water Course 6 chs. wide Course W.  
 75. 25 Intersected the N. boundary 223 chs. W. of post  
 Set a post Cor. to Sec. 5 & 6, from which  
 a B. Oak 12 in. dia. bears N 19 E 23 chs. dist. 4  
 a Dogwood 6 " " " S 18 E 4 " "

December 29<sup>th</sup> 1806.

Surveyed by Alexander Enos, M. S.

Comp

I certify that the foregoing transcript of field notes of  
 Township N. 2. E. 3. Mer. Indiana  
 has been Comp. with the original notes in this Office  
 and found to be Correct.

Surveyor General's Office  
 Cincinnati, June 11<sup>th</sup> 1841

E. S. Cairnes  
 Sur. Genl.